



# Request for Quote

Page 1 of 2

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
ONE CAPITOL HILL  
PROVIDENCE RI 02908

CREATION DATE : 02-AUG-16  
BID NUMBER: 7550847  
TITLE: WINTER/SUMMER SHIRTS & TROUSERS - DOC

BID CLOSING DATE AND TIME: 23-AUG-2016 11:30:00

BUYER: Cowell Jr, John A  
PHONE #: 401-574-8114

B  
I  
L  
L  
T  
O  
DOA CONTROLLER  
ONE CAPITOL HILL, 4TH FLOOR  
SMITH ST  
PROVIDENCE, RI 02908  
US

S  
H  
I  
P  
T  
O  
DOC CDC ANNEX  
CLOTHING SUPPLIES  
9 POWER ROAD  
CRANSTON, RI 02920  
US

Requisition Number: 1460731

Note to Bidders: Note to Bidders: QUESTIONS REGARDING THIS BID SHOULD BE EMAILED TO: john.cowell@purchasing.ri.gov  
BEFORE CLOSE OF DAY AUGUST 12, 2016. PLEASE INCLUDE THE BID NUMBER WITHIN THE  
SUBJECT LINE. QUESTIONS WILL BE ANSWERED IN THE FORM OF AN ADDENDUM TO THIS SOLICITATION.

IF AN ADDENDUM IS REQUIRED IT MUST BE SUBMITTED ALONG WITH YOUR BID SUBMISSION.

Line	Description	Quantity	Unit	Unit Price	Total
1	<p>NOTE TO VENDOR: SIZE LIST WILL BE FURNISHED WHEN PURCHASE IS AWARDED</p> <p>NO SUBSTITUTIONS</p> <p>CORRECTIONAL OFFICER WINTER FLYING CROSS SHIRTS - MALE-SPEC: 4290-ACI-02</p> <p>BRAND: _____</p> <p>STOCK#: _____</p>	120.00	Each		
2	<p>CORRECTIONAL OFFICER WINTER FLYING CROSS SHIRTS - FEMALE-SPEC: 4290-ACI-19</p> <p>BRAND: _____</p> <p>STOCK #: _____</p>	4.00	Each		
3	<p>CORRECTIONAL OFFICER WINTER FECHHEIMER TROUSERS - MALE- SPEC: 4290-ACI-01</p> <p>BRAND: _____</p> <p>STOCK#: _____</p>	454.00	Each		
4	<p>CORRECTIONAL OFFICER WINTER FECHHEIMER TROUSERS - FEMALE-SPEC: 4290-ACI-17</p> <p>BRAND: _____</p> <p>STOCK#: _____</p>	52.00	Each		

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer



# Request for Quote

Page 2 of 2

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS  
ONE CAPITOL HILL  
PROVIDENCE RI 02908

CREATION DATE : 02-AUG-16  
BID NUMBER: 7550847  
TITLE: WINTER/SUMMER SHIRTS & TROUSERS - DOC

BID CLOSING DATE AND TIME: 23-AUG-2016 11:30:00

BUYER: Cowell Jr, John A  
PHONE #: 401-574-8114

B  
I  
L  
L  
S  
MITH ST  
PROVIDENCE, RI 02908  
US

S  
H  
I  
P  
9 POWER ROAD  
CRANSTON, RI 02920  
US

Requisition Number: 1460731

Note to Bidders: Note to Bidders: QUESTIONS REGARDING THIS BID SHOULD BE EMAILED TO: john.cowell@purchasing.ri.gov  
BEFORE CLOSE OF DAY AUGUST 12, 2016. PLEASE INCLUDE THE BID NUMBER WITHIN THE  
SUBJECT LINE. QUESTIONS WILL BE ANSWERED IN THE FORM OF AN ADDENDUM TO THIS SOLICITATION.

IF AN ADDENDUM IS REQUIRED IT MUST BE SUBMITTED ALONG WITH YOUR BID SUBMISSION.

Line	Description	Quantity	Unit	Unit Price	Total
5	CORRECTIONAL OFFICER SUMMER FLYING CROSS SHIRTS - MALE-SPEC: 4290-ACI-05 BRAND: _____ STOCK#: _____	9.00	Each		
6	CORRECTIONAL OFFICER SUMMER FLYING CROSS SHIRTS - FEMALE-SPEC: 4290-ACI-14 BRAND: _____ STOCK#: _____	7.00	Each		
7	CORRECTIONAL OFFICER SUMMER FECHHEIMER TROUSERS - MALE-SPEC: 4290-ACI-04 BRAND: _____ STOCK#: _____	63.00	Each		
8	CORRECTIONAL OFFICER SUMMER FECHHEIMER TROUSERS - FEMALE-SPEC: 4290-ACI-12 BRAND: _____ STOCK#: _____	52.00	Each		

Delivery: \_\_\_\_\_

Terms of Payment: \_\_\_\_\_

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

**STATE OF RHODE ISLAND  
DEPARTMENT OF ADMINISTRATION  
DIVISION OF PURCHASES  
PROVIDENCE, RI 02908**

Spec. No. 4290-ACI-02

**MALE-SHIRT (WINTER)**

**AGENCY:** DEPARTMENT OF CORRECTIONS  
ADULT CORRECTIONAL INSTITUTIONS

**SUBJECT:** SHIRT, Uniform (Winter)

**FABRIC:** 65% Dacron Polyester/35% Rayon, PermaPress Flying Cross,  
Style No. 46W6691 or equal.

**COLOR:** Slate Grey.

**STYLE:** Long sleeves. Shoulder straps, conventional collar and band,  
permanent stays, high luster Venetian band and yoke trim, two (2)  
scallop flap, plain pockets with Velcro closures, pencil  
Compartment, full badge sling, two (2) button cuff, button on  
sleeve, seven (7) baked-in Military creases - front, back and  
sleeves, form fit.

**SPECIAL**

**REQUIREMENTS:** Shirt to have silver State or "P" buttons on shoulder epaulets and  
shirt pockets for staff personnel, and brass State or "P" buttons on  
shoulder epaulets and shirt pockets for supervisors.

Buttons to be supplied by vendor.

Rhode Island Department of Corrections will furnish shoulder  
emblem, which is to be sewed on by vendor.

Individual measurements and alterations to be furnished by  
agency.

**SIZE TAG:** Each shirt shall be marked with lot number, size, fiber content and  
shall have a care instruction label sewn in it.

**PLEASE RETAIN FOR FUTURE REFERENCE.**

STATE OF RHODE ISLAND  
DEPARTMENT OF ADMINISTRATION  
DIVISION OF PURCHASES  
PROVIDENCE, RI 02908

Spec. No. 4290-ACI-19

FEMALE-SHIRT (WINTER)

**AGENCY:** DEPARTMENT OF CORRECTIONS  
ADULT CORRECTIONAL INSTITUTIONS

**SUBJECT:** SHIRT, Uniform (Winter)

**FABRIC:** 65% Dacron Polyester/35% Rayon, Permapress Flying Cross,  
Style No. 02R6651 or Equal.

**COLOR:** Slate Grey.

**STYLE:** Long sleeves. Shoulder straps, conventional collar and band,  
permanent collar stays, high luster poplin band and yolk trim, two  
(2) scalloped flap pleated pockets with Velcro closures, pencil  
compartment, full badge sling, two (2) button cuff, button on  
sleeve, seven (7) baked-in creases -- front, back and sleeves. Form  
fit.

**SPECIAL REQUIREMENTS:** Small shirt button under collar to close V neckline. Shirt to have  
silver State or "P" buttons on shoulder epaulets and shirt pockets  
for staff personnel, and brass State or "P" buttons on shoulder  
epaulets and shirt pockets for supervisors.

Buttons to be supplied by vendor. Rhode Island Department of  
Corrections will furnish shoulder emblem, which is to be sewed on  
by vendor.

Individual measurements and alterations to be furnished by  
agency.

**SIZE TAG:** Each shirt shall be marked with lot number, size, fiber content and  
shall have a care instruction label sewn in it.

PLEASE RETAIN FOR FUTURE REFERENCE.

STATE OF RHODE ISLAND  
DEPARTMENT OF ADMINISTRATION  
DIVISION OF PURCHASES  
PROVIDENCE, RI 02908

Spec. No. 4290-ACI-01

MALE - TROUSERS (WINTER)

**AGENCY:** DEPARTMENT OF CORRECTIONS  
ADULT CORRECTIONAL INSTITUTIONS

**SUBJECT:** TROUSERS, Uniform Dress (Winter)

**FABRIC:** Raeford #645-186, 55% Dacron 45% Wool  
16 ½ - 17 oz. or Equal.

**COLOR:** Slate Grey Elastique.

**STYLE:** Trousers shall be manufactured from up-to-date patterns and shall be designed so that there will be no "peg" at the hip or baggy seat. The front shall be plain (no pleats) with two (2) ¼ top pockets, with watch pocket and (2) hip pockets.  
The left hip pocket shall have a tab to button. The front pocket have a minimum opening of 6 ½" and shall be 6" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets shall have an opening of approximately 6" from bartack to bartack and shall be 6" deep. Hip pockets will be of the double welt method manufactured on Reece P.W. Machine and shall be finished in such a manner that there is no top stitching. The welts shall be interlined with Pellon. The watch pocket shall have an opening of approximately 3" and be approximately 3" deep and must be located approximately 3 ½" in front of the right side seam at the waistband. All five (5) pockets must have a firm, straight bartack for reinforced strength.

**POCKETING:** The pocketing shall be 50% Polyester 50% Cotton blend, minimum 2.70 weight with a minimum 70 x 60 count. The color of the pocketing shall be black, so as to be the same color or a contrasting color to the outer fabric. White or off-white color pocketing will not be acceptable.

**WAISTBAND:** Waistband curtain to be of the same fabric as the pocketing (black, 50% Polyester, 50% cotton) and shall close with a hook and eye. The waistband curtain must be attached to the trouser with a zigzag stitch. The waistband must have a 3-strand rubberized stitch (Snug-tex) and contain Ban-rol.

Spec. No. 4290-ACI-01

MALE-TROUSERS (WINTER)

- FLY LINING:** The right fly shall be of the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure on the inside of the right fly and the fabric for the French Fly must be the same as the outer material of the trousers.
- BELT LOOPS:** There shall be a minimum of seven (7) belt loops  $\frac{3}{4}$ " wide. All loops (except for the back center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam. The waistband shall measure approximately 2" wide when finished-wide enough to comfortably accommodate a belt 1-5/8" wide.
- SIDE SEAMS:** One inch wide black Rayon braid to be sewn over side seam from bottom of waistband to bottom of trousers. Braid to be colorfast and pre-shrunk.
- BOTTOMS:** Plain finished bottoms to include cloth heel guards.
- MISCELLANEOUS:** Slacks must have a Talon #42 Memory lock zipper and there shall be a bartack at the bottom of the fly going through the zipper tape. The trousers must be seamed with matching thread and the seat seam must be stitched with a tandem needle machine (2 threads). All exposed inside edges must be serged.
- PRESSING & FINISHING:** Slacks must be properly pressed on hothead presses and properly shaped. The outseams and inseams must be pressed open. Trousers that have been chemically treated at the Mill for special pressing instructions shall be pressed in accordance with such Mill instruction, including those that require water spraying prior to leg pressing operation to insure a longer lasting crease and proper wrinkle resistance.
- LABELS:** The trousers must have a care label permanently affixed and also have size label showing fiber content and WPL number.

PLEASE RETAIN FOR FUTURE REFERENCE

STATE OF RHODE ISLAND  
DEPARTMENT OF ADMINISTRATION  
DIVISION OF PURCHASES  
PROVIDENCE, RI 02908

Spec. No. 4290-ACI- 17

FEMALE - SLACKS (WINTER)

**AGENCY:** DEPARTMENT OF CORRECTIONS  
ADULT CORRECTIONAL INSTITUTIONS

**SUBJECT:** Slacks, Uniform (Winter)

**FABRIC:** Raeford #645-186 or equal; 55% Dacron/45% Wool 16 ½ - 17 oz.

**COLOR:** Slate Grey

**STYLE:** Same style as men's trousers, but on a women's pattern and to have five (5) belt loops and no watch pocket. Slacks shall be manufactured from up-to-date patterns and shall be designed so that there will be no "peg" at the hip or baggy seat. The front shall be plain (no pleats) with two (2) ¼ top pockets, and two (2) hip pockets. The left hip pocket shall have a tab to button. The front pocket shall have a minimum opening of 6 ½" and shall be 6" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets shall have an opening of approximately 6" from bartack to bartack and shall be 6" deep. Hip pockets will be of the double welt method manufactured on Reece P.W. Machine and shall be finished in such a manner that there is no topstitching. The welts shall be interlined with Pellon. All four (4) pockets must have a firm, straight bartack for reinforcing strength.

**POCKETING:** The pocketing shall be 50% Polyester 50% cotton blend, minimum 2.70 weight with a minimum 70 x 60 count. The color of the pocketing shall be black, so as to be the same color or a contrasting color to the outer fabric. White or off-white color pocketing will not be acceptable.

**WAISTBAND:** Waistband curtain to be of the same fabric as the pocketing (black, 50% Polyester, 50% cotton) and shall close with a hook and eye. The waistband curtain must be attached to the trouser with a zigzag stitch. The waistband must have a 3-strand rubberized stitch (Snug-tex) and contain Ban-rol.

Spec. No. 4290-ACI- 17

**FEMALE - SLACKS (WINTER)**

- FLY LINING:** The right fly shall be of the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure on the inside of the right fly and the fabric for the French Fly must be the same as the outer material of the slacks.
- BELT LOOPS:** There shall be a minimum of five (5) belt loops 5/8" wide. All loops (except for the black center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam. The waistband shall measure approximately 2" wide when finished -- wide enough to comfortably accommodate a belt 1-5/8" wide.
- SPECIAL REQUIREMENTS:** Braid to be one inch black on outseam of trousers from inside the waistband to bottom of pants and turn over. Braid to be colorfast and preshrunk.
- BOTTOMS:** Plain finished bottoms to include cloth heel guards.
- MISCELLANEOUS:** Slacks must have a Talon #42 Memory lock zipper and there shall be a bartack at the bottom of the fly going through the zipper tape. The slacks must be seamed with matching thread and the seat seam must be stitched with a tandem needle machine (2 threads). All exposed inside edges must be serged.
- PRESSING & FINISHING:** Slacks must be properly pressed on hothead presses and properly shaped. The outseams and inseams must be pressed open. Slacks that have been chemically treated at the Mill for special pressing instructions shall be pressed in accordance with such Mill instructions, including those that require water spraying prior to leg pressing operation to insure a longer lasting crease and proper wrinkle resistance.
- SIZE TAGS:** The slacks must have a care label permanently affixed and also have size label showing fiber content and WPL number.

**PLEASE RETAIN FOR FUTURE REFERENCE.**

**STATE OF RHODE ISLAND  
DEPARTMENT OF ADMINISTRATION  
DIVISION OF PURCHASES  
PROVIDENCE, RI 02908**

Spec. No. 4290-ACI-05

**MALE - SHIRT (SUMMER)**

**AGENCY:** DEPARTMENT OF CORRECTIONS  
ADULT CORRECTIONAL INSTITUTIONS

**SUBJECT:** SHIRT, UNIFORM (Summer)

**FABRIC:** 65% Dacron Polyester/35% Rayon, PermaPress  
Flying Cross, Style No. 96R6691 or Equal.

**COLOR:** Slate Grey.

**STYLE:** Short sleeves. Shoulder straps, conventional  
sport collar, permanent stays, two (2)  
scaloped flap, plain pockets with Velcro  
closures, pencil compartment, full badge sling,  
seven (7) baked-in military creases - front,  
back and sleeves, full length tails, form fit.

**SPECIAL  
REQUIREMENTS:** Shirt to have silver State or "P" buttons on  
shoulder epaulets and shirt pockets for staff  
personnel, and brass State or "P" buttons on  
shoulder epaulets and shirt pockets for  
supervisors.

Buttons to be supplied by vendor.  
Rhode Island Department of Corrections will  
furnish shoulder emblem which is to be sewn  
on by vendor.

Individual measurements and alterations to be  
furnished by agency.

**SIZE TAG:** Each shirt shall be marked with lot number,  
size, fiber content and shall have a care  
instruction label sewn in it.

**PLEASE RETAIN FOR FUTURE REFERENCE.**

**STATE OF RHODE ISLAND  
DEPARTMENT OF ADMINISTRATION  
DIVISION OF PURCHASES  
PROVIDENCE, RI 02908**

Spec. No. 4290-ACI-14

**FEMALE - SHIRT (SUMMER)**

**AGENCY:** DEPARTMENT OF CORRECTIONS  
ADULT CORRECTIONAL INSTITUTIONS

**SUBJECT:** SHIRT, UNIFORM (Summer)

**FABRIC:** 65% Dacron Polyester/35% Rayon, Permapress, Flying Cross  
Style No. 52R6651 or Equal.

**COLOR:** Slate Grey.

**STYLE:** Short sleeves. Shoulder straps, conventional sport collar,  
permanent stays, two (2) scalloped flap pleated pockets with  
Velcro closures, pencil compartment, badge tab, seven (7) baked-  
in military creases - front, back and sleeves, full length tails. Form  
fit.

**SPECIAL REQUIREMENTS:** Small shirt button under collar to close V neckline. Shirt to have  
silver State or "P" buttons on shoulder epaulets and shirt pockets  
for staff personnel, and brass State or "P" buttons on shoulder  
epaulets and shirt pockets for staff personnel, and brass State or  
"P" buttons on shoulder epaulets and shirt pockets for supervisors.

Buttons to be supplied by vendor.  
Rhode Island Department of corrections will furnish shoulder  
emblem, which is to be sewn on by vendor.

Individual measurements and alterations to be furnished by  
agency.

**SIZE TAG:** Each shirt shall be marked with lot number, size, fiber content and  
shall have a care instruction label sewn in it.

**PLEASE RETAIN FOR FUTURE REFERENCE.**

**STATE OF RHODE ISLAND  
DEPARTMENT OF ADMINISTRATION  
DIVISION OF PURCHASES  
PROVIDENCE, RI 02908**

Spec. No. 4290-ACI-04

**MALE - TROUSERS (SUMMER)**

- AGENCY:** DEPARTMENT OF CORRECTIONS  
ADULT CORRECTIONAL INSTITUTIONS
- SUBJECT:** Trousers, Uniform, Dress (Summer).
- FABRIC:** Raeford # 521-186 , 55% Dacron 45% Wool 11 ½ - 12 oz. Or Equal.
- COLOR:** Slate Gray Gabardine.
- STYLE:** Trousers shall be manufactured from up-to-date patterns and shall be designed so that there will be no "peg" at the hip or baggy seat. The front shall be plain (no pleats) with two (2) ¼ top pockets, with watch pocket and two (2) hip pockets. The left hip pocket shall have a tab to button. The front pocket shall have a minimum opening of 6 ½" and shall be 6" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets shall have an opening of approximately 6" from bartack to bartack and shall be 6" deep. Hip pockets will be of the double welt method manufactured on Reece P.W. Machine and shall be finished in such a manner that there is no topstitching. The welts shall be interlined with Pellon. The watch pocket shall have an opening of approximately 3" and be approximately 3" deep and must be located approximately 3-½" in front of the right side seam at the waistband. All five (5) pockets must have a firm, straight bartack for reinforcing strength.
- POCKETING:** The pocketing shall be 50% Polyester 50% Cotton blend, minimum 2.70 weight with a minimum 70 x 60 count. The color of the pocketing shall be black, so as to be the same color or a contrasting color to the outer fabric. White or off-white color pocketing will not be acceptable.
- WAISTBAND:** Waistband curtain to be of the same fabric as the pocketing (black, 50% Polyester 50% Cotton) and shall close with a hook and eye. The waistband curtain must be attached to the trouser with a zigzag stitch. The waistband must have a 3-strand rubberized stitch (Snug-tex) and contain Ban-rol.

Spec. No. 4290-ACI-04

**MALE - TROUSERS (SUMMER)**

- FLY LINING:** The right fly shall be the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure on the inside of the right fly and the fabric for the French Fly must be the same as the outer material of the trousers.
- BELT LOOPS:** There shall be a minimum of seven (7) belt loops  $\frac{3}{4}$ " wide. All loops (except for the back center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam. The waistband shall measure approximately 2" wide when finished-wide enough to comfortably accommodate a belt 1-5/8" wide.
- SIDE SEAMS:** One inch wide black Rayon braid to be sewn over side seam from bottom of waistband to bottom of trousers. Braid to be colorfast and pre-shrunk.
- BOTTOMS:** Plain finished bottoms to include cloth heel guards.
- MISCELLANEOUS:** Trousers must have a Talon #42 Memory lock zipper and there shall be a bartack at the bottom of the fly going through the zipper tape. The trousers must be seamed with matching thread and the seat seam must be stitched with a tandem needle machine (2 threads). All exposed inside edges must be serged.
- PRESSING & FINISHING:** Trousers must be properly pressed on hothead presses and properly shaped. The outseams and inseams must be pressed open. Trousers that have been chemically treated at the Mill for special pressing instructions shall be pressed in accordance with such Mill instructions, including those that require water spraying prior to leg pressing operation to insure a longer lasting crease and proper wrinkle resistance.
- SIZE TAGS:** The trousers must have a care label permanently affixed and also have size label showing fiber content and WPL number.

**PLEASE RETAIN FOR FUTURE REFERENCE.**

STATE OF RHODE ISLAND  
DEPARTMENT OF ADMINISTRATION  
DIVISION OF PURCHASES  
PROVIDENCE, RI 02908

Spec. No. 4290-ACI-12

FEMALE-SLACKS (SUMMER)

**AGENCY:** DEPARTMENT OF CORRECTIONS  
ADULT CORRECTIONAL INSTITUTIONS

**SUBJECT:** SLACKS, Uniform (Summer)

**FABRIC:** Raeford #521-186, 55% Dacron 45% Wool  
11 ½ - 12 oz. or Equal.

**COLOR:** Slate Grey Gabardine.

**STYLE:** Same style as men's trousers but on a women's pattern and to have five (5) belt loops and no watch pocket. Slacks shall be manufactured from up-to-date patterns and shall be designed so that there will be no "peg" at the hip or baggy seat. The front shall be plain (no pleats) with two (2) ¼ top pockets, and (2) hip pockets. The left hip pocket shall have a tab to button. The front pocket have a minimum opening of 6 ½" and shall be 6" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets shall have an opening of approximately 6" from bartack to bartack and shall be 6" deep. Hip pockets will be of the double welt method manufactured on Reece P.W. Machine and shall be finished in such a manner that there is no top stitching. The welts shall be interlined with Pellon. All four (4) pockets must have a firm, straight bartack for reinforcing strength.

**POCKETING:** The pocketing shall be 50% Polyester 50% Cotton blend, minimum 2.70 weight with a minimum 70 x 60 count. The color of the pocketing shall be black, so as to be the same color or a contrasting color to the outer fabric. White or off-white color pocketing will not be acceptable.

**WAISTBAND:** Waistband curtain to be of the same fabric as the pocketing (black, 50% Polyester, 50% cotton) and shall close with a hook and eye. The waistband curtain must be attached to the trouser with a zigzag stitch. The waistband must have a 3-strand rubberized stitch (Snug-tex) and contain Ban-rol.

FEMALE-SLACKS (SUMMER)

- FLY LINING:** The right fly shall be of the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure on the inside of the right fly and the fabric for the French Fly must be the same as the outer material of the slacks.
- BELT LOOPS:** There shall be a minimum of five (5) belt loops  $\frac{3}{4}$ " wide. All loops (except for the back center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam. The waistband shall measure approximately 2" wide when finished-wide enough to comfortably accommodate a belt 1-5/8" wide.
- SPECIAL REQUIREMENTS:** Braid to be one inch Black on outseam of trousers from inside the waistband to bottom of pants and turn over. Braid to be colorfast and preshrunk.
- BOTTOMS:** Plain finished bottoms to include cloth heel guards.
- MISCELLANEOUS:** Slacks must have a Talon #42 Memory lock zipper and there shall be a bartack at the bottom of the fly going through the zipper tape. The slacks must be seamed with matching thread and the seat seam must be stitched with a tandem needle machine (2 threads). All exposed inside edges must be serged.
- PRESSING & FINISHING:** Slacks must be properly pressed on hothead presses and properly shaped. The outseams and inseams must be pressed open. Slacks that have been chemically treated at the Mill for special pressing instructions shall be pressed in accordance with such Mill instructions, including those that require water spraying prior to leg pressing operation to insure a longer lasting crease and proper wrinkle resistance.
- SIZE TAGS:** The slacks must have a care label permanently affixed and also have size label showing fiber content and WPL number.

PLEASE RETAIN FOR FUTURE REFERENCE

**Contract Terms and Conditions**

**Table of Contents**

Terms and Conditions.....IX

    BID STANDARD TERMS AND CONDITIONS .....IX

        TERMS AND CONDITIONS FOR THIS BID .....IX

        CLOTHING SAMPLES .....IX

        DELIVERY PER AGENCY .....IX

**Terms and Conditions**

**BID STANDARD TERMS AND CONDITIONS**

**TERMS AND CONDITIONS FOR THIS BID**

**CLOTHING SAMPLES**

IF SAMPLES ARE REQUESTED, THEY MUST BE PROVIDED WITHIN TEN (10) WORKING DAYS OF REQUEST DATE. FAILURE TO DO SO MAY RESULT IN DISQUALIFICATION OF BID.

**DELIVERY PER AGENCY**

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.